

# MULTICOLOUR PANAMA

- Structured polyester fabric with a distinctively rustic look
- Standard 100 by Oeko-Tex® certified, free from harmful substances
- Washable up to 72°
- Proven acoustic properties

## APPLICATIONS



## FABRIC PROPERTIES

	Semi transparent
	Polyester
	240 g/m <sup>2</sup>
	0.50 mm
	325 cm
	330 cm

## FEATURES / TECHNICAL PROPERTIES

	6
	Alpha-w = 0.45
	Flame retardant
	Applicable in humid areas
	Suitable for Wave
	Oeko-Tex

## WASHING INSTRUCTIONS



## FIRE PROTECTION

Type C (BS 5867-2)  
Class 1 (EN 13773)



## Multicolour Panama

### OPTICAL AND SOLAR COEFFICIENTS ( $\pm 5\%$ , DIN EN 410)

Colour	$T_V$	$T_S$	$R_S$	$A_S$	$T_{UV}$	$F_C$	$g_{tot}$
1	27.1	26.4	67.2	6.4	8.0	0.51	0.37
2	15.2	16.6	49.8	33.6	6.2	0.61	0.44
3	11.6	12.6	42.2	45.2	5.5	0.66	0.47
4	10.5	11.0	38.2	50.8	5.3	0.68	0.49
5	12.2	16.6	42.1	41.3	7.1	0.66	0.48
6	9.4	12.5	33.6	53.9	6.1	0.71	0.51
7	8.6	11.2	31.6	57.2	6.6	0.73	0.52
8	6.5	8.2	23.6	68.2	4.8	0.77	0.56

$T_V$  Visible light transmission

$R_S$  Solar reflectance

$T_{UV}$  UV transmission

$g_{tot}$  Total g-value


$T_S$  Solar transmission

$A_S$  Solar absorption

$F_C$  Shading factor

$F_C + g_{tot}$ : Value calculated with glass:  $0.72 / U_g = 1.6 \text{ W/m}^2 \text{ K}$ , DIN EN 13363-1

## Multicolour Panama



Colours shown are not binding