


SG 1025



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** ceiling
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Pre-drilled profile
- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 1025p

Profile

Radius:
✓ 6 cm, 10 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

C. SPECIFICATION

EN

Silent Gliss SG 1025 Hand Drawn Curtain Track System for recessed fitting. Comprises aluminium profile SG1025 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 3533 at 14/m and 2 end stops SG 3070/SG 3085 Spring stops per length. Top fixed directly to ceiling with screws at max. 300 mm centres.

SV

Silent Gliss SG 1025 handdragssystem. Består av aluminiumprofil SG 1025 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 3533 glid per meter, 2 st SG 3070 vridstopp/SG 3085 fjäder per system. Skruvas direkt i tak m skruv c/c 300 mm.

NO

Silent Gliss SG 1025 manuell gardinskinne. Består av aluminiumprofil SG 1025 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 3533 glidere pr meter, 2 stk SG 3070 vristopp/SG 3085 fjær pr system. Skrus direkte i tak med skrue c/c 300 mm.

DA


Silent Gliss SG 1025 håndtrukket gardinskinnesystem til indfældning. Består af en aluminiumprofil SG1025 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 3533 pr. m og 2 stk. SG 3070 endestop eller SG 3085 fjeder pr. længde. Fastgøres direkte i loftet med skruer med højst 300 mm afstand.

FITTING

A. FITTING INFORMATION


For detailed fitting information, visit the *Silent Gliss* website.

Fixing points








B. CEILING FITTING

Direct into wood




























PARTS

A. STANDARD PARTS

	SG 1025p Profile
	SG 3070 End stop
	SG 3085 Spring stop
	SG 3533 Glider
	SG 10896 Pan head screw 2.9x13

B. OPTIONAL PARTS

	SG 3012 Hook		SG 3570 Glider
	SG 3016 End stop		SG 3571 Hook
	SG 3020 Hook		SG 3582 Hook
	SG 3032 Spring stop		SG 3598 Eyelet
	SG 3071 End stop		SG 3599 Hook
	SG 3072 Eyelet		SG 10430 Draw rod 50 cm
	SG 3088 Endstop with hook		SG 10431 Draw rod 75 cm
	SG 3511 Glider		SG 10432 Draw rod 100 cm
	SG 3534 Glider 3533 on strip		SG 10433 Draw rod 125 cm
	SG 3535 Glider		SG 10434 Draw rod 150 cm
	SG 3537 Glider		SG 11335 End stop
	SG 3548 Glider		
	SG 3549 Click glider with hook		
	SG 3555 Hook		